



YORK

1400mm height

SlimLED under-shelf LED strip lighting



GlassMax canopy with **Mitrex** frame

Height adjustable and 'tiltable' shelving:
4 display levels
(6 in heated cabinet)

Flush finished base

Swivel and lockable castors




YC12

STANDARD FEATURES

- › **GlassMax** minimalist canopy (more glass/less frame) that maximises the visibility of displayed food from all angles
- › Full glass top for top down viewing of displayed food
- › **Mitrex** frame that is flush welded with mitred joins to give both robustness and a designer finish
- › Four food display levels: three shelves plus bottom trays
- › Chrome wire shelving system that is height adjustable in 25mm increments and interchangeable between horizontal and tilted positions
- › **CrumbCatch** feature in bottom trays that collects falling crumbs and food
- › High quality European and Japanese refrigeration components
- › Fan forced air flow for even temperature distribution
- › **ClearView** front and top glass for condensation control
- › Refrigeration optimised to provide a high humidity environment that maintains food quality for longer
- › **DuraCoat** system providing a protective coating over the refrigeration coil to prevent food acid corrosion.
- › **SureVap** self-evaporating system for condensate—no drain required
- › Condenser air vented through base—no unsightly vents
- › **SlimLED** under-shelf LED strip lighting with 12V safety
- › Rear sliding, double-glazed doors on friction-free, low wear tracks (doors removable for cleaning)
- › Mounted on swivel and lockable castors allowing easy movement of cabinet

SIDE VIEW



YORK: CHILLED

A classy serve-over cabinet that maximises height and display area, while still allowing interaction between staff and customers. With its framed top and front glass this cabinet makes displayed food stand out.

4°C operating temperature

Climate class 3M1 (25°C/60%RH)

For Factory Options refer to page 60

For Cabinet Accessories refer to page 66

Model	YC6	YC9	YC12	YC15	YC18	YC24
Length	600mm	900mm	1200mm	1530mm	1770mm	2370mm
Depth*	640mm	640mm	640mm	640mm	640mm	640mm
Height	1400mm	1400mm	1400mm	1400mm	1400mm	1400mm
Available Display Area	0.92m ²	1.46m ²	2m ²	2.6m ²	2.94m ²	4.03m ²
Power Connection	10A Plug	10A Plug	10A Plug	10A Plug	10A Plug	10A Plug


*Add extra 15mm for protruding control panel and switches



YC012

STANDARD FEATURES

- › Open front cabinet for “grab and go”
- › Stainless steel top
- › Four food display levels: three shelves plus base
- › Chrome wire shelving system that is height adjustable in 25mm increments and interchangeable between horizontal and tilted positions
- › High quality European refrigeration components
- › Designed to operate at 3 – 5°C in room environments up to 22°C with no air movement across open face
- › **DuraCoat** system providing a protective coating over the refrigeration coil to prevent food acid corrosion
- › **SureVap** self-evaporating system for condensate—no drain required
- › Condenser air vented through base
- › **SlimLED** under-shelf LED strip lighting with 12V safety
- › Mounted on lockable castors allowing easy movement of cabinet

SIDE VIEW

For Factory Options refer to page 60

For Cabinet Accessories refer to page 66


YORK: CHILLED IMPULSE

A stylish open fronted cabinet that simply invites the customer in.

4°C operating temperature

Model	YC09	YC012	YC015
Length	900mm	1200mm	1530mm
Depth*	640mm	640mm	640mm
Height	1400mm	1400mm	1400mm
Available Display Area	1.26m ²	1.74m ²	2.26m ²
Power Connection	10A Plug	10A Plug	15A Plug

**Add extra 15mm for protruding control panel and switches*




YH9

STANDARD FEATURES

- › **GlassMax** minimalist canopy (more glass/less frame) that maximises the visibility of displayed food from all angles
- › Full glass top for top down viewing of displayed food
- › **Mitrex** frame that is flush welded with mitred joints to give both robustness and a designer finish
- › Six shelf levels; offering more extensive display area than comparable cabinets
- › Chrome wire shelving system that is height adjustable in 25mm increments and interchangeable between horizontal and tilted positions
- › High quality European heating and control components
- › Thermostatically controlled to operate at a temperature between 30 – 95°C
- › Fan forced air flow for even heat distribution
- › Rapid response element for better temperature control
- › **SlimLED** under-shelf LED strip lighting with 12V safety
- › Rear sliding doors on friction-free, low wear tracks (doors removable for cleaning)
- › Mounted on swivel and lockable castors allowing easy movement of cabinet

SIDE VIEW



For Factory Options refer to page 60

For Cabinet Accessories refer to page 66

YORK: HEATED

Offering great space to display the widest range of hot food product the York heated cabinets create a great look while still allowing excellent server-customer communication.

Up to 95°C operating temperature

Model	YH6	YH9	YH12	YH15
Length	600mm	900mm	1200mm	1530mm
Depth*	640mm	640mm	640mm	640mm
Height	1400mm	1400mm	1400mm	1400mm
Available Display Area	1.3m ²	2.1m ²	2.9m ²	3.8m ²
Power Connection	10A Plug	10A Plug	20A Plug	20A Plug


*Add extra 15mm for protruding control panel and switches

**STANDARD FEATURES**

- › **GlassMax** minimalist canopy (more glass/less frame) that maximises the visibility of displayed food from all angles
- › Full glass top for top down viewing of displayed food
- › **Mitrex** frame that is flush welded with mitred joins to give both robustness and a designer finish
- › **DoubleJacket** long life halogen heat lamps
- › Gastronorm pans not supplied with unit
- › Thermostatically controlled to operate at a temperature up to 95°C
- › Drain with faucet built in
- › Can be operated wet or dry
- › Open at rear (no doors)
- › Mounted on swivel and lockable castors allowing easy movement of cabinet

For Factory Options refer to page 60

For Cabinet Accessories refer to page 66

SIDE VIEW

YORK: BAIN MARIE

An elegant looking Bain Marie cabinet that enhances the presentation of food. Looks great in any environment.

Up to 95°C operating temperature

Model	YBM7	YBM11	YBM14	YBM17	YBM20
Length	745mm	1070mm	1395mm	1720mm	2045mm
Depth*	640mm	640mm	640mm	640mm	640mm
Height	1400mm	1400mm	1400mm	1400mm	1400mm
No. of Gastro 1/1 Pans**	2	3	4	5	6
Power Connection	10A Plug	15A Plug	15A Plug	20A Plug	Fixed Wiring

**Add extra 15mm for protruding control panel and switches*
***Up to 100mm deep. (gastronorm pans not supplied)*




YHD14

STANDARD FEATURES

- › **GlassMax** minimalist canopy (more glass/less frame) that maximises the visibility of displayed food from all angles
- › Full glass top for top down viewing of displayed food
- › **Mitrex** frame that is flush welded with mitred joins to give both robustness and a designer finish
- › Tempered glass deck
- › **DoubleJacket** long life halogen heat lamps
- › Thermostatically controlled to operate at a temperature up to 100°C
- › Open at rear (no doors)
- › Mounted on swivel and lockable castors allowing easy movement of cabinet

For Factory Options refer to page 60

For Cabinet Accessories refer to page 66

SIDE VIEW

YORK: HOT DECK

For gourmet food presentation this hot deck cabinet provides the class the food deserves

Up to 100°C operating temperature

Model	YHD7	YHD11	YHD14	YHD17	YHD20
Length	745mm	1070mm	1395mm	1720mm	2045mm
Depth*	640mm	640mm	640mm	640mm	640mm
Height	1400mm	1400mm	1400mm	1400mm	1400mm
Hot Plate (L x D)	623 x 506mm	948 x 506mm	1273 x 506mm	1598 x 506mm	1923 x 506mm
Power Connection	10A Plug	10A Plug	10A Plug	15A Plug	15A Plug

***Add extra 15mm for protruding control panel, switches and cable**



YA9


STANDARD FEATURES

- › **GlassMax** minimalist canopy (more glass/less frame) that maximises the visibility of displayed food from all angles
- › Full glass top for top down viewing of displayed food
- › **Mitrex** frame that is flush welded with mitred joints to give both robustness and a designer finish
- › Five food display levels: four shelves plus base; offering more extensive display area than comparable cabinets
- › Chrome wire shelving system that is height adjustable in 25mm increments and interchangeable between horizontal and tilted positions
- › **SlimLED** under-shelf LED strip lighting with 12V safety
- › Top venting to allow heat dissipation
- › Rear sliding doors on friction-free, low wear tracks (doors removable for cleaning)
- › Mounted on swivel and lockable castors allowing easy movement of cabinet

For Factory Options refer to page 60

For Cabinet Accessories refer to page 66

SIDE VIEW



YORK: AMBIENT

This large serve-over cabinet provides ample space to display ambient product while showing the food at its best.

Model	YA6	YA9	YA12	YA15	YA18	YA24
Length	600mm	900mm	1200mm	1530mm	1770mm	2370mm
Depth*	640mm	640mm	640mm	640mm	640mm	640mm
Height	1400mm	1400mm	1400mm	1400mm	1400mm	1400mm
Available Display Area	1.13m ²	1.8m ²	2.5m ²	3.2m ²	3.6m ²	5m ²
Power Connection	10A Plug	10A Plug	10A Plug	10A Plug	10A Plug	10A Plug

*Add extra 15mm for protruding control panel and switches